



QL Rock Tools

Product Catalogue

Reverse Circulation Drilling



REVERSE CIRCULATION HAMMER

DIMENSIONS (mm)		WEIGHT (kg)	CONNECTIONS		RETENTION	LHS P/N
DIAMETER	LENGTH		REMET	METZKE		
92	1195	52	3.5"-4"	-	-	RC3.5
107	1252	52	3.5"-4"	4"	-	RE004
109	1191	51	3.5"-4"	4"	-	RE542
116	1191	62	3.5"-4"	4"	-	RE543
117	1261	65	4"-4.5"	4"-4.5"	-	RE545
120	1362	80	3.5"-4.5"	4"-4.5"	-	PR40
121	1227	68	4"-4.5"	4"-4.5"	●	PR52
130	1294	84	4"-4.5"	4"-4.5"	●	PR54

REVERSE CIRCULATION DRILL BIT

(all RC drill bits have matching shroud to suit)

SHANK TYPE	DIAMETER (mm)	RETENTION	LHS P/N
RC3.5	104	-	ZQA104D-RC3.5
	108	-	ZQA108D-RC3.5
	115	-	ZQA115D-RC3.5
RE004	115	-	ZQA115F-RE004
	121	-	ZQA121F-RE004
	127	-	ZQA127F-RE004
RE542/RE543	121	-	ZQA121F-RE542/543
	124	-	ZQA124F-RE542/543
	127	-	ZQA127F-RE542/543
	133	-	ZQA133F-RE542/543
	171	-	ZQA171F-RE542/543
RE545	137	-	ZQA137F-RE545
	140	-	ZQA140F-RE545
PR40	133	-	ZQA133F-PR40
	140	-	ZQA140F-PR40
PR52	132	-	ZQA132F-PR52
	140	-	ZQA140F-PR52
	140	●	ZQA140F-PR52R
	143	-	ZQA143F-PR52
	143	●	ZQA143F-PR52R
PR54	137	●	ZQA137F-PR54R
	140	●	ZQA140F-PR54R
	143	●	ZQA143F-PR54R
	146	●	ZQA146F-PR54R
	175	●	ZQA175F-PR54R
	191	-	ZQA191F-PR54
	203	-	ZQA203F



QLRTools - China

Chang Ling Cun 86dong
702 Shenchou - Luohu District
Guangdong China

QLRTools - India

301, Richmond Towers,
3rd Floor, Richmond Road,
Bangalore, Karnataka, India